


Fig. 1



228A

302		304		306	
KEY	VALUE	DESCRIPTION			
MTM	9406170	MACHINE TYPE MODEL			
SN	0012345	SERIAL NUMBER			
VPD	01/02/07	VITAL PRODUCT DATA			
CFG	00110031	CONFIGURATION LEVEL			
T, 5065	01C00	KEY = TOWER . TOWERTYPE VALUE = TOWER LOCATION			
FC 2722 310 O. 5065 . 02L01 . CC08 312	2722 2721	TYPE . TOWERTYPE . TOWERLOCATION . SLOTLOCATION			
MSG		START OF CONFIGURATION MESSAGES			
END		END OF CONFIGURATION MESSAGES			

Fig. 3A

228B

302		304		306	
KEY	VALUE	DESCRIPTION			
MTM	9406170	MACHINE TYPE MODEL			
SN	0012345	SERIAL NUMBER			
VPD	01/02/07	VITAL PRODUCT DATA			
CFG	00110031	CONFIGURATION LEVEL			
T, 5065	01C00	KEY = TOWER . TOWERTYPE VALUE = TOWER LOCATION			
N. 5065 . 02L01 . CC09 310 O. 5065 . 02L01 . CC08 312	2722 2721	TYPE . TOWERTYPE . TOWERLOCATION . SLOTLOCATION			
MSG		START OF CONFIGURATION MESSAGES			
END		END OF CONFIGURATION MESSAGES			

Fig. 3B

← 400

ADDRESS

IBM
PHYSICAL DEVICE PLACEMENT ASSISTANT

402

SPECIFY iSERIES OR AS/400 SYSTEM INFORMATION

○ ENTER SYSTEM:
● SELECT BASE SYSTEMS:
○ MACHINE EQUIPMENT SPECIFICATION (MES) NUMBER:

10

▽

404

406

(PLANT CODE-SERIAL NUMBER)

MACHINE TYPE:

9406

▽

408

USER TYPE:

CUSTOMER

▽

410


SUMMIT SYSTEM INFORMATION ← 412


Fig. 4

500

← → ↺ ↻ □ ⊗ ⊞ ⊠ ⊡ ⊢ ⊣ ⊤ ⊥ ⊦ ⊧ ⊨ ⊩ ⊪ ⊫ ⊬ ⊭ ⊮ ⊯ ⊰ ⊱ ⊲ ⊳ ⊴ ⊵ ⊶ ⊷ ⊸ ⊹ ⊺ ⊻ ⊼ ⊽ ⊾ ⊿ ⊺ ⊻ ⊼ ⊽ ⊾ ⊿	ADDRESS					
<h1 style="margin: 0;">IBM</h1> <h2 style="margin: 0;">PHYSICAL DEVICE PLACEMENT ASSISTANT</h2> <p style="margin-top: 20px;">SPECIFY iSERIES OR AS/400 SYSTEM INFORMATION</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top; padding: 10px;"> <p><input type="radio"/> ENTER SYSTEM:</p> <p><input checked="" type="radio"/> SELECT BASE SYSTEMS:</p> <p><input type="radio"/> MACHINE EQUIPMENT SPECIFICATION (MES) NUMBER:</p> </td> <td style="width: 50%; vertical-align: top; padding: 10px;"> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> 9406: 10-170BS ▾ </div> <p>(MACHINE TYPE: PLANT CODE-SERIAL NUMBER)</p> </td> </tr> <tr> <td style="vertical-align: top; padding: 10px;">USER TYPE:</td> <td style="vertical-align: top; padding: 10px;">CUSTOMER ▾</td> </tr> </table>			<p><input type="radio"/> ENTER SYSTEM:</p> <p><input checked="" type="radio"/> SELECT BASE SYSTEMS:</p> <p><input type="radio"/> MACHINE EQUIPMENT SPECIFICATION (MES) NUMBER:</p>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> 9406: 10-170BS ▾ </div> <p>(MACHINE TYPE: PLANT CODE-SERIAL NUMBER)</p>	USER TYPE:	CUSTOMER ▾
<p><input type="radio"/> ENTER SYSTEM:</p> <p><input checked="" type="radio"/> SELECT BASE SYSTEMS:</p> <p><input type="radio"/> MACHINE EQUIPMENT SPECIFICATION (MES) NUMBER:</p>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> 9406: 10-170BS ▾ </div> <p>(MACHINE TYPE: PLANT CODE-SERIAL NUMBER)</p>					
USER TYPE:	CUSTOMER ▾					
SUBMIT SYSTEM INFORMATION						

Fig. 5





PHYSICAL DEVICE PLACEMENT ASSISTANT

402

ENTER SYSTEM:
 SELECT BASE SYSTEMS:
 MACHINE EQUIPMENT
 SPECIFICATION (MES)
 NUMBER:

SPECIFY iSERIES OR AS/400 SYSTEM INFORMATION

602

PLANT OF ORIGIN:	<div style="border: 1px solid black; padding: 2px;">ROCHESTER, MN. USA</div> <div style="border: 1px solid black; width: 30px; height: 20px; margin: 2px auto; text-align: center;">▽</div> <p>604</p>
USER TYPE:	<div style="border: 1px solid black; padding: 2px;">CUSTOMER</div> <div style="border: 1px solid black; width: 30px; height: 20px; margin: 2px auto; text-align: center;">▽</div> <p>410</p>


SUBMIT SYSTEM INFORMATION

412

Fig. 6

Fig. 7

700









Fig. 8

*Fig. 9*

*Fig. 10*

*Fig. 11*

1200

ADDRESS									
<div> <div>IBM</div> <div>5074 I/O EXPANSION UNIT MODEL: 820</div> </div>									
<div>EDIT</div>					<div>RETURN</div>				
MACHINE TYPE: 9406					SERIAL NUMBER: 0012345				
FRAME: 2					VPD DATE: 00/12/21				
<div> <div>PCI CARDS</div> <div>REAR VIEW - LEFT SIDE</div> </div>									
POSITION	POSITION DESCRIPTION				CCIN				
C01	IOP				2843				
C02	IOA				2748				
C03	IOP/IOA				2838				
C04	IOA				*2749*				
C05	IOP/INS				EMPTY				
C06	IOA				EMPTY				
C07	IOA				EMPTY				
C08	HSL - NOT A PCI POSITION								
C09	IOP/IOA				EMPTY				
C10	IOA				EMPTY				
C11	IOP/INS				EMPTY				
C12	IOA				EMPTY				
C13	IOA				EMPTY				
C14	IOP/IOA				EMPTY				
C15	IOA				EMPTY				
<div> <div>REAR VIEW - RIGHT SIDE</div> <div>PCI CARDS</div> </div>									

Fig. 12